

# Weitere Parameter

Neben den schon vorgestellten Parametern, unterstützt MP3Gain noch diverse weitere.

Einige Parameter mit Beispielen und Erklärungen können z. B. hier nachgelesen werden:

[Ubuntuusers MP3Gain](#)

Am besten können die aktuell verfügbaren Parameter mit `mp3gain -?` abgefragt werden.

Hierdurch wird folgende Ausgabe erzeugt.

```
> mp3gain -?
mp3gain version 1.6.2
copyright(c) 2001-2009 by Glen Sawyer
uses mpglib, which can be found at http://www.mpg123.de
Usage: mp3gain [options] <infile> [<infile 2> ...]
options:
  -v - show version number
  -g <i> - apply gain i without doing any analysis
  -l 0 <i> - apply gain i to channel 0 (left channel)
             without doing any analysis (ONLY works for STEREO files,
             not Joint Stereo)
  -l 1 <i> - apply gain i to channel 1 (right channel)
  -e - skip Album analysis, even if multiple files listed
  -r - apply Track gain automatically (all files set to equal loudness)
  -k - automatically lower Track/Album gain to not clip audio
  -a - apply Album gain automatically (files are all from the same
             album: a single gain change is applied to all files, so
             their loudness relative to each other remains unchanged,
             but the average album loudness is normalized)
  -m <i> - modify suggested MP3 gain by integer i
  -d <n> - modify suggested dB gain by floating-point n
  -c - ignore clipping warning when applying gain
  -o - output is a database-friendly tab-delimited list
  -t - mp3gain writes modified mp3 to temp file, then deletes original
             instead of modifying bytes in original file (default)
  -T - mp3gain directly modifies mp3 file (opposite of -t)
  -q - Quiet mode: no status messages
  -p - Preserve original file timestamp
```

```
-x - Only find max. amplitude of file
-f - Assume input file is an MPEG 2 Layer III file
    (i.e. dont check for mis-named Layer I or Layer II files)
-? or -h - show this message
-s c - only check stored tag info (no other processing)
-s d - delete stored tag info (no other processing)
-s s - skip (ignore) stored tag info (do not read or write tags)
-s r - force re-calculation (do not read tag info)
-s i - use ID3v2 tag for MP3 gain info
-s a - use APE tag for MP3 gain info (default)
-u - undo changes made (based on stored tag info)
-w - "wrap" gain change if gain+change > 255 or gain+change < 0
    (use "-? wrap" switch for a complete explanation)
```

If you specify -r and -a, only the second one will work

If you do not specify -c, the program will stop and ask before  
applying gain change to a file that might clip

---

Version #1

Erstellt: 2024-03-18 20:08:27 CET von Marcel

Zuletzt aktualisiert: 2024-03-18 20:12:08 CET von Marcel