


# Plugin installieren

Die Installation eines Plugins ist wie folgt.

Für eine einfache Suche nach Plugins kann die offizielle Seite von Traefik genutzt werden, diese kann im Dashboard aufgerufen werden. Hierzu oben im Menüband auf *Plugins* klicken.



Nun öffnet sich der Plugin Dialog in einem neuen Tab. Hier kann nun nach dem gewünschten Plugin gesucht werden.

[Plugin Catalog](#)
[Install a Plugin](#)
[Create a Plugin](#)

## Plugin Catalog

Sort by: type

**Sablier** v1.7.0-beta.5  
By [Acouvreur](#)

★ 992

Start your containers on demand, shut them down automatically when there's no activity. Docker, Docker Swarm Mode and Kubernetes compatible.

middleware

[Install plugin →](#)

**Souin** v1.6.47  
By [Darkweak](#)

★ 596

Souin is a powerful cache system as fast as Varnish but easier to configure

middleware

[Install plugin →](#)

**Fail2Ban** v0.7.1  
By [TomMoulard](#)

★ 176

Blacklist (or whitelist) IP depending on some conditions

middleware

[Install plugin →](#)


**Crowdsec Bouncer Traefik Plugin**  
v1.2.1-rc1  
By [Maxlerebourg](#)

★ 129

Middleware plugin which forwards the request IP to local Crowdsec agent, which can be used to allow/deny the request

middleware

[Install plugin →](#)

**Demo Plugin** v0.2.2  
By [Traefik](#)

★ 121

[Demo] Add Request Header

middleware

[Install plugin →](#)


**Modsecurity Plugin** v1.3.0  
By [Acouvreur](#)

★ 121

Traefik plugin to proxy requests to owasp/modsecurity-crs:apache

middleware

[Install plugin →](#)


**IdapAuth** v0.1.7  
By [Wiltonsr](#)

★ 94

An open source Traefik Middleware that enables Authentication via LDAP in a similar way to Traefik Enterprise. "You shall authenticate to the LDAP to pass" - Gandalf, the gopher

middleware

[Install plugin →](#)

**GeoBlock** v0.2.7  
By [PascalMinder](#)

★ 84

block request based on their country of origin

middleware

[Install plugin →](#)


**JWT And OPA Access Management**  
v0.7.1  
By [Traefik-plugins](#)

★ 81

Checks JWT tokens for required fields. Supports Open Policy Agent (OPA) and signature validation with JWKS.

middleware

[Install plugin →](#)


**Header transformation** v0.2.8  
By [TomMoulard](#)

★ 71

Transform some headers with some other ones, see <https://github.com/traefik/traefik/issues/6047>

middleware

[Install plugin →](#)


**JWT Access Policy** v0.6.0  
By [Team-carepay](#)

★ 70

Verifies JWT token. Supports RSA/DSA/HMAC. Support fetching keys from JWKS endpoint. Supports Open Policy Agent (OPA) for validating the request.

middleware

[Install plugin →](#)


**Real IP from Cloudflare Proxy/Tunnel**  
v1.3.3  
By [BetterCorp](#)

★ 66

get real IP and proto from Cloudflare Proxy/Tunnel

middleware

[Install plugin →](#)

Give Feedback

Wenn ein Plugin gefunden wurde, dieses einfach anklicken, um die Dokumentation des Plugins zu öffnen. In der Dokumentation wird auch eine *Install Plugin* Schaltfläche angezeigt, die eine kurze Installationsanweisung anzeigt.

ProductsOpen SourceSolutionsLearnPricingContact UsGet a Demo

Plugin Catalog

Install a Plugin

Create a Plugin

Plugins / GeoBlock

GeoBlock ★ 84  
v0.2.7

Install Plugin

Repository

PascalMinder/geoblock

Author

PascalMinder

Versions

v0.2.7 - current

v0.2.6

v0.2.5

v0.2.4

v0.2.3

v0.2.2

v0.2.1

v0.2.0

v0.1.7

v0.1.6

v0.1.5

v0.1.4

v0.1.3

v0.1.2

v0.1.1

v0.1.0

Report an issue

GeoBlock

Simple plugin for [Traefik](#) to block or allow requests based on their country of origin. Uses [GeoJs.io](#).

Configuration

It is possible to install the [plugin locally](#) or to install it through [Traefik Pilot](#).

Configuration as local plugin

Depending on your setup, the installation steps might differ from the one described here. This example assumes that your Traefik instance runs in a Docker container and uses the [official image](#).

Download the latest release of the plugin and save it to a location the Traefik container can reach. Below is an example of a possible setup. Notice how the plugin source is mapped into the container (/plugin/geoblock:/plugins-local/src/github.com/PascalMinder/geoblock/) via a volume bind mount:

docker-compose.yml

```
version: "3.7"

services:
  traefik:
    image: traefik

    volumes:
      - /var/run/docker.sock:/var/run/docker.sock
      - /docker/config/traefik/traefik.yml:/etc/traefik/traefik.yml
      - /docker/config/traefik/dynamic-configuration.yml:/etc/traefik/dynamic-configuration.yml
      - /docker/config/traefik/plugin/geoblock:/plugins-local/src/github.com/PascalMinder/geoblock/
```

Copy

Die angezeigten Schritte werden durchgeführt bzw. nur einige davon, wenn mehrere Installations und Konfigurationsmöglichkeiten angezeigt werden.

Einige Beispiele, wie Plugins installiert und konfiguriert werden, finden sich auf den anderen Seiten in diesem Kapitel

# How to install "GeoBlock" plugin?

- 1 Add this snippet in the Traefik Static Configuration:

File (YAML)

File (TOML)

CLI

```
--experimental.plugins.geoblock.modulename=github.com/PascalMinder/geoblock
--experimental.plugins.geoblock.version=v0.2.7
```

Copy

- 2 Configure the plugin using the Dynamic Configuration.  
Example:

Kubernetes CRD

File (YAML)

File (TOML)

```
http:
  middlewares:
    my-geoblock:
      plugin:
        geoblock:
          allowLocalRequests: "false"
          allowUnknownCountries: "false"
          api: https://get.geojs.io/v1/ip/country/{ip}
          apiTimeoutMs: "150"
          cacheSize: "15"
          countries:
            - CH
          forceMonthlyUpdate: "true"
          logAllowedRequests: "false"
          logApiRequests: "true"
          logLocalRequests: "false"
          silentStartUp: "false"
          unknownCountryApiResponse: nil
```

Copy

Restart you Traefik instance and enjoy! 🔥

Version #1

Erstellt: 19 März 2024 22:35:29 von Marcel

Zuletzt aktualisiert: 19 März 2024 22:40:32 von Marcel